Softfallguys

plātile

& Shockpad System

The simplest surfacing option

plātile

The **simplest** surfacing option

- ✓ easy DIY or Trade installation
- ✓ economical
- ✓ certified peace of mind

Promise...All our products get Free 24 x 7 x 360 Design, planning, Prep, Install and Issue Resolution Freecall 1800SOFTFALL Support..

Protect Yourself and Client,

....use only the best, most trusted, proven shockpad system!

Color Options

red earth

jade green

deep blue

grey sky

Plātile is **ideal** for regional councils, schools and child care where an **installer friendly** system is a **necessity.**

Features

- The most cost effective and easy to install rubber safety surface on the market.
- Each Plātile is manufactured from upcycled Australian car and truck tyres, coloured with natural oxides and speckled with rainbow EPDM granules.
- Plātiles have been installed everywhere from domestic applications to childcare centres, schools and parks across Australia.
- Plātiles are made from polymerically bound recycled rubber and EPDM flecks.

Benefits

- Damaged areas are easily fixed by simply replacing any sections.
- Ideal for hard to access locations where a pour-in-place solution is not possible.
- Plātile is a complete system, providing all necessary components to meet Australian safety requirements in any application.
- **Plātiles have been designed with the novice installer in mind. Installation is fast and simple, with minimal tools involved.**

Product Specifications

Plātile system thicknesses are determined by the critical fall height rating needed in accordance with Australian Standards.

Plātiles are available 15mm or 20mm thick and are installed over the AeroShockpad base to meet any critical fall height requirements.





Email: Admin@softfallguys.com.au
Freecall 1800SOFTFALL (1800 763 832)

PLATILE

PRICE LIST

Effective May 01, 2026

Product Overview

The Plátile® system utilises factory mass-produced rubber tiles for fast and simple installation with minimal skills and tools required.

Blue, green, grey and red base colours are available, each with rainbow coloured EPDM speckles throughout. EPDM speckle colours and concentrations can be increased and customised for clients requiring a special effect. Compliance with Australian Standards is guaranteed when used in conjunction with Shockpads.

Price List

Platile®				
Colour	**Thickness**	**Dimensions**	**Code**	**Price per Tile**
Deep Blue	15mm	1m x 1m	PT15B	$104.70
Grey Sky	15mm	1m x 1m	PT15G	$104.70
Jade Green	15mm	1m x 1m	PT15LG	$104.70
Red Earth	15mm	1m x 1m	PT15R	$104.70

- Plátiles® have a top bevel.
- Plátiles® are available in Red Earth, Jade Green, Deep Blue or Grey Sky and feature a multi-coloured EPDM speckle.
- EPDM speckle colours are random, and will vary from batch-to-batch.
- Please check Adhesives Price List for adhesive options, applications, spread rates and pricing.

- All prices are + GST and are plus shipping where applicable.

Freight and Palletisation

Plátiles® can be palletised up to 100 tiles per pallet.

All products are plastic capped and shrink wrapped and securely strapped to each pallet.

Freecall 1800 763 832 tech support included

National Sales and Technical Support
Admin@softfallguys.com.au
www.softfallguys.com.au

AUSTRALIAN MADE CREATING AUSTRALIAN JOBS
CIRCULAR ECONOMY LEADER
UPCYCLED AUSTRALIAN TYRES

Aero™ SHOCKPADS

Australia's #1 Playground Shockpad System

Used in every playground where fall height compliance is required

Factory controlled density and thickness guarantees consistent on-site impact performance

Aero Shockpads have become very popular, with thousands of square meters installed under synthetic grass and wetpour rubber playground surfaces every year. Aero Shockpads are the impact performance layer for the OneSafe, Luxafe, Platile and AeroCool systems.

An easy to use 'Critical Fall Height Graph' has been mapped from our test data, which represents the relationship between surface thickness and certified fall heights as determined by the Australian Standards.

A1 Rubber's Quality Assurance initiatives include testing all shockpad materials for both Head Injury Criteria and G forces using the latest Triax Wireless Surface Impact Tester, this guarantees compliance with AS 4422:2016.



We wont be beat on price...ever!

PLUS you get free design, planning, preparation, install and issue resolution support with all products we sell!

Buy Direct at admin@softfallguys.com.au or Freecall 1800 763 832

SHOCKPADS

PRICE LIST

Effective May 01, 2026

Product Overview

Used specifically for super efficient playground underlay installations Aero Shockpads are the popular choice by smart contractors looking for guaranteed surface compliance and installation savings. Aero Shockpads have become very popular with thousands of square meters installed under synthetic grass and wetpour rubber playground surfaces every year.

The Aero Shockpad main raw material component is 4 mesh rubber tyre buffings which ideally matrix for the endurance required in repetitive impact conditions. Aero Shockpads are quick to install, they aren't affected by rain, cold conditions or direct sunlight and they don't blow away during installation in windy conditions.

Price List

Aero Shockpads			
Thickness	**Dimensions**	**Code**	**Price per Tile**
15mm	1m x 1m	15SP	$39.41
20mm	1m x 1m	20SP	$51.61
25mm	1m x 1m	25SP	$63.65
30mm	1m x 1m	30SP	$75.54
35mm	1m x 1m	35SP	$87.38
40mm	1m x 1m	40SP	$99.02
45mm	1m x 1m	45SP	$110.65
50mm	1m x 1m	50SP	$122.18

- All prices are + GST and are plus shipping where applicable.
- Aero Shockpads can be double or triple layered to achieve any thickness requirement.
- Please check Adhesives Price List for Sika sausage pricing - one sausage per 15 linear metres.

Freight and Palletisation

Aero Shockpads can be palletised up to 1600mm high. To determine how many units fit per pallet simply divide your thickness requirement by the palletisable height. For example: 1600mm ÷ 25mm shockpads = 64 tiles.

All orders are plastic capped and shrink wrapped, then strapped to the pallet for secure transportation.

Freecall 1800 763 832 tech support included

National Sales and Technical Support
Admin@softfallguys.com.au
www.softfallguys.com.au

AUSTRALIAN MADE CREATING AUSTRALIAN JOBS
CIRCULAR ECONOMY LEADER
UPCYCLED AUSTRALIAN TYRES

A1 RUBBER CRITICAL FALL HEIGHT GRAPH - **RUBBER** AS 4422:2016

Effective November 23, 2018



Disclaimer: Compliance with standards playground systems are guaranteed to be compliant with the current Australian Standards at the time of installation for the Critical Fall Height specified, subject to the surface being installed as per the installation guidelines and specifications. No allowance has been made for stated Critical Fall Height system thicknesses for ongoing compliance if the surface has been subjected to excessive impact use, natural outdoor degradation, damage, contamination, hardening of any displaceable substrates or significant wear of the product. Accordingly it is recommended that an allowance be made for the above factors when choosing the surface thickness. The intensity of the end use of the surface should be determined and an allowance made in the thickness to cover any degradation of the performance of the product over the life expectancy of installation.

A1 RUBBER CRITICAL FALL HEIGHT GRAPH AS 4422:2016

SYNTHETIC GRASS WITH RUBBER SHOCKPAD

Effective April 23, 2019



Disclaimer: Compliance with standar ıd systems are guaranteed to be compliant with the current Australian Standards at the time of installation for the Critical Fall Height specified, subject to the surface being installed as per the installation guidelines and specifications. No allowance has been made for stated Critical Fall Height system thicknesses for ongoing compliance if the surface has been subjected to excessive impact use, natural outdoor degradation, damage, contamination, hardening of any displaceable substrates or significant wear of the product. Accordingly it is recommended that an allowance be made for the above factors when choosing the surface thickness. The intensity of the end use of the surface should be determined and an allowance made in the thickness to cover any degradation of the performance of the product over the life expectancy of installation.

Porous System

Water droplets run vertically through all 3 levels of the system.

Protect Yourself and Your Client,
....use only the best, most trusted, proven shockpad system!

Softfallguys Support Promise...All our products get 24 x 7 x 365
Design, planning, Prep, Install and Issue Resolution Phone Support..
WE'VE GOT YOUR BACK!